Interior Architecture

Ohio University

College of Fine Arts

School of Art+Design

ART 2640, Building Systems of Interior Environments Fall Semester 2017 Tuesdays & Thursdays 9:00-10:20

Matthew Ziff, Associate Professor Office: W 325 Grover Center

Office hours: MTWTH: 11:00 - 12:00 MW: 1:20 - 2:20

Telephone: 740. 593. 2869 E-mail: ziff@ohio.edu

Electrical Symbols

Switches

\$ Switch

\$\\^4\\\4-\Way\Switch

₱ DM Dimmer Switch

Home Electrical Wiring Symbols for Outlets

→ Outlet

GFI Outlet (Ground Fault Interrupter)

Switched Outlet

Waterproof Outlet

P QUAD Quad Outlet

FLOOR Floor Outlet

240 Volt Outlet


Other Symbols

Smoke Detector

Stereo Outlet

Telecom Outlets

Television Outlet



Electrical Wiring Symbols for Panels




Service Panel (circuit box)

Electrical Wiring Diagram Symbols for Lighting



Electrical



g Outlets	Switch Outlets	Annunciator
War	Single-Pole Switch	\$ -
Incandecent, Mer- er Lamo Foture		Interconnection Box
-0		
Individual Fluo-	DOCESTON SWEET	Bell-Ringing Transformer
	Sz	Solving Haroma
	Three-Way Switch	
Continuous-Row Fluo-		Interconnecting Telephone
	22 Mar 1987/100	DI
ant Strip	Tarrity and	Radio Outlet
	S4	
Exit Light	Key-Operated Switch	00
	Cu Cu	Television Outlet
		₽
-	SWITCH AND PROT LAMP	
-0	SP	Panelboards, Switchboards, and Related Equipment
Outlets	Switch for Low-Voltage Switching System	
Ungrounded	SL	
det .	Switch and Single Receptacle	Flush-Mounted Panelboard and Cabinet
— O trec	-⊕s	NOTE: identify by notation or schedule.
		Surface-Mounted Panelboard and Cabinet
-O UNG	⊕s	
utlet-Split Wired	Door Switch	
™ ⊕ envis	So	Switchboard, Power Control Center, Unit
e Receptacle Outlet	Time Switch	Substations (should be drawn to scale)
→ O mac	e.	
	ar	Flush-Mounted Terminal Cabinet
≡ ⊕ grac	Basidantial Occumendas	NOTE in anal-scale drestings the TC may be included alongside the symbol.
ide Outlet	remotival occupances	
€ meg	Signaling system symbols for use in identi-	- 6 16 3
		Surface-Mounted Terminal Cabinet
M	descriptive symbol list is not included on the	
Editor and and and	Santy.	Motor or Other Power Controller
cation of different	Push button	
foor systems		Externally Operated Disconnection
110	Buzzer	Switch
	9	Ó
1/0	Bell .	Combination Controller and Disconnect- ion Means
, , 0	æ	550-
	Wall Incandescent, Mer- Incandescent, Mer- Individual Fluc- Individual Flu	Incandescent, Meric Lamp Facture S